Gaze Estimation with Pupil Tracking in Real-Time

Final Presentation

Tomas Bartipan Supervisor: Benjamin Busam

Technical University of Munich Chair of Computer Aided Medical Procedures Project Management and Software Development for Medical Applications

February 1, 2018

tomas.bartipan@tum.de




Figure: NIR light reflection and eye schematic

Source:

Real-Time Eye Gaze Tracking Under Natural Head Movements https://www.ecse.rpi.edu/~cvrl/zhiwei/gazetracking/ gazetracking.html Accessed: 9/11/17

Recap hardware



Figure: Hardware in use

Tomas Bartipan

The steps to get there

Locate eye region (Haar)

- 2 Locate iris center (Snakuscule)
- Iccate glint (Ellipse fitting)
- Calculate gaze from iris-glint vector and eye position (Linear regression)

The steps to get there

Locate eye region (Haar)

2 Locate iris center (Snakuscule)

- Iocate glint (Ellipse fitting)
- Calculate gaze from iris-glint vector and eye position (Linear regression)

- Locate eye region (Haar)
- 2 Locate iris center (Snakuscule)
- 3 Locate glint (Ellipse fitting)
- Calculate gaze from iris-glint vector and eye position (Linear regression)

- Locate eye region (Haar)
- 2 Locate iris center (Snakuscule)
- 3 Locate glint (Ellipse fitting)
- Galculate gaze from iris-glint vector and eye position (Linear regression)

Snakuscule

Example Pass

- Pind a contour
- If an ellipse

Get a proper light! Until then, just use a point

2 Find a contour

If an ellipse

Get a proper light! Until then, just use a point

- 2 Find a contour
- Fit an ellipse
 - Get a proper light! Until then, just use a point.

- 2 Find a contour
- Fit an ellipse
 - Get a proper light! Until then, just use a point.

Glint fit

1 Create a polynomial transformation function

- Input(variables) = eye center position, glint parameters
- Output = screen coordinates
- In callibration phase, let user look at many (15-30) points and calculate polynomial coefficients that minimize squared error
- 5 In action phase, plug the actual values into the polynomial

- 1 Create a polynomial transformation function
- 2 Input(variables) = eye center position, glint parameters
- Output = screen coordinates
- In callibration phase, let user look at many (15-30) points and calculate polynomial coefficients that minimize squared error
- 5 In action phase, plug the actual values into the polynomial

- 1 Create a polynomial transformation function
- 2 Input(variables) = eye center position, glint parameters
- 3 Output = screen coordinates
- In callibration phase, let user look at many (15-30) points and calculate polynomial coefficients that minimize squared error
- 5 In action phase, plug the actual values into the polynomial

- 1 Create a polynomial transformation function
- 2 Input(variables) = eye center position, glint parameters
- 3 Output = screen coordinates
- In callibration phase, let user look at many (15-30) points and calculate polynomial coefficients that minimize squared error
- In action phase, plug the actual values into the polynomial

q

- 1 Create a polynomial transformation function
- 2 Input(variables) = eye center position, glint parameters
- 3 Output = screen coordinates
- In callibration phase, let user look at many (15-30) points and calculate polynomial coefficients that minimize squared error
- 5 In action phase, plug the actual values into the polynomial

q

// TODO 2 separate polynomials for left/right? VectorXf xPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_xRhs); VectorXf yPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_yRhs);

Needs many callibration points

- 2 Coefficients need to have the same order of magnitude.
- 3 Small noise in callibration data results in big errors
- 9 Better to use non-realtime methods in callibration phase

// TODO 2 separate polynomials for left/right? VectorXf xPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_xRhs); VectorXf yPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_yRhs);

- 1 Needs many callibration points
- 2 Coefficients need to have the same order of magnitude.
- 3 Small noise in callibration data results in big errors.
- 9 Better to use non-realtime methods in callibration phase

// TODO 2 separate polynomials for left/right? VectorXf xPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_xRhs); VectorXf yPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_yRhs);

- 1 Needs many callibration points
- 2 Coefficients need to have the same order of magnitude.
- 3 Small noise in callibration data results in big errors


9 Better to use non-realtime methods in callibration phase

// TODO 2 separate polynomials for left/right? VectorXf xPolynomial = m parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinU).solve(m xRhs);

VectorXf yPolynomial = m_parameterMatrix.jacobiSvd(ComputeThinU | ComputeThinV).solve(m_yRhs);


- Needs many callibration points
- 2 Coefficients need to have the same order of magnitude.
- 3 Small noise in callibration data results in big errors
- 4 Better to use non-realtime methods in callibration phase

Callibration Phase



Tomas Bartipan

Running Phase



Status report

• Eye center localization - done!

- Could be more stable...
- Glint fitting done!
 - Needs bigger lights to be actual ellipse fitting
- Callibration data acquisition done!
 Works fine
- Linear regression (kind of) done!

Can't get it right! :(

- Eye center localization done!
 - Could be more stable...
- Glint fitting done!
 - Needs bigger lights to be actual ellipse fitting.
- Callibration data acquisition done!
 Works fine.
- Linear regression (kind of) done!
 - Can't get it right! :(

• Eye center localization - done!

• Could be more stable..

Glint fitting - done!

- Needs bigger lights to be actual ellipse fitting.
- Callibration data acquisition done!
 - Works fine
- Linear regression (kind of) done!

• Can't get it right! :(

• Eye center localization - done!

- Glint fitting done!
 - Needs bigger lights to be actual ellipse fitting.
- Callibration data acquisition done!
 - Works fine
- Linear regression (kind of) done!
 - Can't get it right! :(

- Eye center localization done! Could be more stable...
- Glint fitting done!
 Needs bigger lights to be actual ellipse fitti
- Callibration data acquisition done!
 - Works fine.
- Linear regression (kind of) done!

Can't get it right! :(

- Eye center localization done! Could be more stable
- Glint fitting done!

Needs bigger lights to be actual ellipse fitting

- Callibration data acquisition done!
 - Works fine.
- Linear regression (kind of) done!

Can't get it right! :(

- Eye center localization done! Could be more stable...
- Glint fitting done!
 - Callibration data and faither dead
- Callibration data acquisition done!
- Linear regression (kind of) done!
 - Can't get it right! :(

- Eye center localization done! Could be more stable...
- Glint fitting done!
 - Needs bigger lights to be actual ellipse fitti
- Callibration data acquisition done!
- Linear regression (kind of) done!
 - Can't get it right! :(

- Never (ever, ever, EVER!) code C++ without a debugger.
- Start earlier.
- Linear regression is hard.

- Never (ever, ever, EVER!) code C++ without a debugger.
- Start earlier.
- Linear regression is hard.

- Never (ever, ever, EVER!) code C++ without a debugger.
- Start earlier.
- Linear regression is hard.

- Have to use more lights.
 - One gets occluded easily.
- Use bigger lights for ellipse fitting.

- Have to use more lights.
 One gets occluded easily.
- Use bigger lights for ellipse fitting.

That's all, folks!

Questions? That's all Folks!

Source: https://commons.wikimedia.org/wiki/File:Thats_all_folks.svg, Public Domain All images without credit are my own work