

October 26th, 2004 by Tobias Lasser


O O Topics

- 1. What is CVS?
- 2. Client/Server Model
- 3. Networked access methods
- 4. Example session
- 5. Outlook: Tags and Branches
- 6. Conclusion

O Mhat is CVS?

- CVS = Concurrent Versions System
- an open-source network-transparent version control system
- records history of all changes to files
- manages simultaneous development by several people

Client/Server Model



Network access

- on localhost
- via NFS/SMB-Mount: dangerous! (file-locking, permission issues)
- via pserver protocol (TCP/IP, Port 2401): telnet-like, good for anonymous access
- via SSH: encrypted TCP/IP via Port 22, needs account on server

Con Example Session

```
export CVSROOT=:ext:lasser@atnavab5:/home/cvs/
 export CVS RSH=ssh
 cvs checkout ramp
$ cd ramp
 cvs status Makefile
File: Makefile
                   Status: Up-to-date
                         Tue Oct 26 11:43:02 2004
            1.4
   Version:
   RCS Version: 1.4
                         /home/cvs/ramp/Makefile, v
$ vim Makefile
 cvs update
M Makefile
$ cvs commit
```

Tags and Branches

Tag: mark files with a symbolic revision:


\$ cvs tag rel-1-0

checkout this revision explicitly:

\$ cvs checkout -r rel-1-0 test

create a branch:

\$ cvs tag -b rel-1-0-patches



Conclusion

- CVS is the standard today
- plenty add-on software packages available, tutorials, examples and documentation
- More advanced system: Subversion
 - has most CVS features
 - directories and renames versioned
 - HTTP-Access via WebDAV

• References

- CVS: http://www.cvshome.org
- Subversion: http://subversion.tigris.org